

FORM PTO-1390 (REV. 12-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER 8705.04
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371			U.S. APPLICATION NO. (If known, see 37 CFR 1.51) 10/070992
INTERNATIONAL APPLICATION NO. PCT/AU00/01107	INTERNATIONAL FILING DATE 13 September 2000	PRIORITY DATE CLAIMED 14 September 1999	
TITLE OF INVENTION APPARATUS AND METHOD FOR PRESCRIBING AND MANUFACTURING ORTHOTIC...			
APPLICANT(S) FOR DO/EO/US SMITH, NEIL ROBERT			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. 4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31). 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau). b. <input type="checkbox"/> has been communicated by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input type="checkbox"/> is attached hereto. b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau). b. <input type="checkbox"/> have been communicated by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)). 9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 			
Items 11 to 20 below concern document(s) or information included:			
<ol style="list-style-type: none"> 11. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. 14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 15. <input type="checkbox"/> A substitute specification. 16. <input type="checkbox"/> A change of power of attorney and/or address letter. 17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). 19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. <input checked="" type="checkbox"/> Other items or information: International Search Report 31 October 2000 International Preliminary Examination Report 20 April 2001 Associate Power of Attorney 			

U.S. APPLICATION NO (if known see 37 CFR 1.53) 10/ 070992		INTERNATIONAL APPLICATION NO PCT/AU00/01107		ATTORNEY'S DOCKET NUMBER 8705.04	
21. <input checked="" type="checkbox"/> The following fees are submitted. BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1040.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT =				CALCULATIONS PTO USE ONLY <div style="border: 1px solid black; padding: 2px;">\$ 1040.00</div>	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				<div style="border: 1px solid black; padding: 2px;">\$</div>	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total claims	16 - 20 =	0	x \$18.00	<div style="border: 1px solid black; padding: 2px;">\$ -0-</div>	
Independent claims	3 - 3 =	0	x \$84.00	<div style="border: 1px solid black; padding: 2px;">\$ -0-</div>	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$280.00	<div style="border: 1px solid black; padding: 2px;">\$ -0-</div>	
TOTAL OF ABOVE CALCULATIONS =				<div style="border: 1px solid black; padding: 2px;">\$ -0-</div>	
<input checked="" type="checkbox"/> Applicant claims small entity status See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				<div style="border: 1px solid black; padding: 2px;">\$ 520.00</div>	
SUBTOTAL =				<div style="border: 1px solid black; padding: 2px;">\$ 520.00</div>	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				<div style="border: 1px solid black; padding: 2px;">\$</div>	
TOTAL NATIONAL FEE =				<div style="border: 1px solid black; padding: 2px;">\$ 520.00</div>	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				<div style="border: 1px solid black; padding: 2px;">\$</div>	
TOTAL FEES ENCLOSED =				<div style="border: 1px solid black; padding: 2px;">\$ 520.00</div>	
				Amount to be refunded:	\$
				charged:	\$

a. ☒ A check in the amount of \$ 520.00 to cover the above fees is enclosed.

b. ☐ Please charge my Deposit Account No _____ in the amount of \$ _____ to cover the above fees.
 A duplicate copy of this sheet is enclosed.

c. ☐ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
 overpayment to Deposit Account No. _____ A duplicate copy of this sheet is enclosed.

d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card
 information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR
 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Richard C. Litman, Esq.
 Litman Law Offices, Ltd.
 Crystal City Station
 P.O. Box 15035
 Arlington, VA 22215-0035

SIGNATURE
 John Remon Wenzel
 NAME
 24,768
 REGISTRATION NUMBER

Docket No. 8705.04

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF:

APPLICANT : NEIL ROBERT SMITH

SERIAL NO.: UNASSIGNED

ART UNIT: UNASSIGNED

FILED : HEREWITH

EXAMINER: UNASSIGNED

FOR : APPARATUS AND METHOD FOR PRESCRIBING AND MANUFACTURING
ORTHOTIC FOOT DEVICES

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

Sir:

PRELIMINARY AMENDMENT

Prior to the examination of this application and calculation
of the filing fee, please enter the following amendment:

IN THE CLAIMS

1 4. (Amended) Apparatus as claimed in claim 2 wherein a foot
2 plate extends between said heel support and said front foot rest
3 and is located within said front foot support.

1 5. (Amended) Apparatus as claimed in claim 2, wherein a
2 deformable liner shaped to support the plantar surface of a

LITMAN LAW
OFFICES, LTD.
P.O. BOX 15035
ARLINGTON, VA 22215
(703) 486-1000

3 patient's foot extends from said heel support through said front
4 foot support.

1 6. (Amended) Apparatus as claimed in claim 1, wherein said
2 heel adjustment means comprises a vertically extending support
3 having a substantially flat top over which a substantially
4 flat rack extends, a curved rack formed on said heel support and
5 engaged with said flat rack, and a tilt lever arm extending from
6 said heel support and tiltable to change the point of inter-
7 engagement of said flat and curved racks.

1 9. (Amended) Apparatus as claimed in claim 6, wherein said
2 vertically extending support is rotatable about its vertical axis
3 and releasably clampable in relation thereto to permit toe-in or
4 toe-out adjustment of said heel-toe axis.

1 10. (Amended) Apparatus as claimed in claim 6, and having a
2 pair of said heel supports and translation means to adjust the
3 relative distance between said heel supports in a direction
4 substantially transverse to the heel-toe axes.

1 13. (Amended) The method as claimed in claim 11 wherein said
2 adjusting step includes the simultaneous pivoting of at least one
3 said heel supports about a heel-toe axis of said foot and movement
4 of said heel support transverse to said heel-toe axis.

1 15. (Amended) The method as claimed in claim 11, including
2 the further step of:

3 (g) placing a deformable liner on each of said heel supports
4 prior to carrying out step (a).

1 16. (Amended) The method as claimed in claim 11 and carried
2 out for both feet of said patient in turn to thereby create two
3 said casts.


REMARKS

The amendment is entered to amend Claims 4-6, 9-10, 13, and 15-16 to eliminate multiple dependent claims. No new matter is entered.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE."

Formal examination on the merits of the application is now respectfully requested.

Respectfully submitted,



Richard C. Litman
Registration No. 30,868
(703) 486-1000

RCL:RBL

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the claims:

4. (Amended) Apparatus as claimed in claim 2 [or 3] wherein a foot plate extends between said heel support and said front foot rest and is located within said front foot support.

5. (Amended) Apparatus as claimed in [any one of claims 2-4] claim 2, wherein a deformable liner shaped to support the plantar surface of a patient's foot extends from said heel support through said front foot support.

6. (Amended) Apparatus as claimed in [any one of claims 1-5] claim 1, wherein said heel adjustment means comprises a vertically extending support having a substantially flat top over which a substantially flat rack extends, a curved rack formed on [the] said heel support and engaged with said flat rack, and a tilt lever arm extending from said heel support and tiltable to change the point of inter- engagement of said flat and curved racks.

9. (Amended) Apparatus as claimed in [any one of claims 6-8] claim 6, wherein said vertically extending support is rotatable about its vertical axis and releasably clampable in relation thereto to permit toe-in or toe-out adjustment of said heel-toe axis.

10. (Amended) Apparatus as claimed in [any one of claims 6-9] claim 6, and having a pair of said heel supports and translation means to adjust the relative distance between said heel supports in a direction substantially transverse to the heel-toe axes.

13. (Amended) The method as claimed in claim 11 [or 12] wherein said adjusting step includes the simultaneous pivoting of at least one said heel supports about a heel-toe axis of said foot and movement of said heel support transverse to said heel-toe axis.

15. (Amended) The method as claimed in [any one of claims 11-14] claim 11, including the further step of: [-]

(g) placing a deformable liner on each of said heel supports prior to carrying out step (a).

16. (Amended) The method as claimed in [any one of claims 11-15] claim 11 and carried out for both feet of said patient in turn to thereby create two said casts.

WO 01/19246

JC13 Rec'd PCT/PTO 14 MAR 2002
PCT/AU00/01107

6/p1/d

APPARATUS AND METHOD FOR PRESCRIBING AND MANUFACTURING
ORTHOTIC FOOT DEVICES

FIELD OF THE INVENTION

5

The present invention relates to the prescription and manufacture of orthotic devices for the feet and, in particular, relates to an apparatus and method for taking a corrective weight bearing cast and measurement of a patient's feet in order to form a corrective orthotic foot device such as an orthotic inner sole.

10

BACKGROUND TO THE INVENTION

The present invention discloses an apparatus which makes the process of the prescription and manufacture of custom-made orthotic devices for the feet simpler, less expensive and more accurate. Orthoses for the feet are inner sole devices which are inserted into a person's shoes to correct malalignment of the foot, which can cause a variety of physical symptoms, including lower back pain, knee and other joint problems, heel spurs and general foot pain.

15

Orthotic therapy is defined as the use of an appliance or apparatus to support, align, prevent or correct deformity, or to modify position or motion, and improve the function of the movable parts of the body. The "orthoses" is the actual appliance or device. Orthotic foot devices are the most common form of orthoses and are generally used to correct malalignment of the feet. The device is inserted into the shoe and corrects, or attempts to correct, the malalignment by tilting the foot into its proper position.

20

Malalignment of the foot will usually mean that the foot leans too much to one side when standing or walking. This can cause symptoms such as back pain, knee problems and leg or general foot pain. The symptoms can be aggravated by age or sporting activities and it is usually only after a person has suffered ongoing chronic pain in their back, leg, knees or feet that the person will seek help. Diabetic patients over 60 years of age generally benefit greatly from feet orthoses. Correctly prescribed, foot orthoses can spread pressure evenly over the foot base and thus reduce the incidence of chronic ulcers.

25

30

WO 01/19246

PCT/AU00/01107

In some cases, patients will visit a podiatrist to request orthoses after prior consultation with other medical and paramedical practitioners - such as physiotherapists, chiropractors or osteopaths - for a condition they would not have normally associated with the foot. In other cases, the patient will be prescribed orthotic inserts after consulting a podiatrist about general foot or heel pain. In most other instances, the patient will have heard of the benefits of orthotic inserts from satisfied former patients. Orthotic devices are popular with both professional and keen amateur sports people through word of mouth and also through the growth in the number of doctors specialising in sports medicine.

Pre-fabricated, generically sized, orthotic devices are also sold over the counter in pharmacies and by mail order by medical suppliers.

Orthotic devices for the feet have been widely prescribed by podiatrists in Australia since the early 1970s. Prior to this, neither podiatrists nor chiropodists were trained in assessing biomechanical abnormalities of the foot, a prerequisite for the prescribing of orthoses. Orthotic therapy has proved successful for many patients and demand has increased, mainly through word of mouth.

PRIOR ART

As described above, orthoses for the feet are generally prescribed by podiatrists, who are university-trained foot specialists, using variations of a common known method. Following the diagnosis that orthoses would assist a patient, a podiatrist will take a cast of each foot using a wet plaster bandage. The foot is held in the air by the podiatrist who attempts to replicate the standing position of the foot, while correctly aligning the sub talor joint so that the foot sits in its correctly aligned position. The podiatrist then writes instructions on the cast and further instructions on the prescription form which are then sent to a laboratory. The laboratory technician will create a positive mould and then hand craft the orthoses using the podiatrist's instructions and their own skill. In such prior art methods it is up to the laboratory technician to guess at how the orthoses should be shaped in order to correct a patient's foot malalignment using the podiatrist's prescription as a guide. This is because the mould taken by the podiatrist is

PCT/AU00/01107

5

10

15

20

25

30

WO 01/19246

PCT/AU00/01107

SUMMARY OF THE INVENTION

According to a first aspect of the present invention there is disclosed apparatus to correctly align a foot to permit an orthotic device to be fabricated, said apparatus comprising:-

- 5 a heel support and a front foot rest positioned substantially level therewith and in front of the heel support to thereby define a heel-toe axis
said heel support being mounted on a heel adjustment means arranged to simultaneously pivot said heel support about said heel-toe axis and move said heel support transverse to said heel-toe axis.

10

In accordance with a second aspect of the present invention there is disclosed a method of casting a mould of a compensated foot whilst a patient's weight is carried by the foot, said method comprising the steps of:-

- (a) standing the patient on a pair of spaced apart heel supports whilst supporting the front of the
15 patient's feet,
(b) adjusting at least the heel supports to compensate for any malalignment of the patient's feet,
(c) lifting one foot free of said heel support and applying a settable casting bandage to said foot,
(d) replacing said one foot on said heel support and, if necessary, repeating said compensation
20 step (b),
(e) maintaining said foot in the compensated configuration until said casting bandage sets, and
(f) removing said one foot from said heel support and slipping said one foot from said set cast.

25

In accordance with a third aspect of the present invention there is disclosed a method of casting a mould of a compensated foot whilst a patient's weight is carried by the foot, said method comprising the steps of:-

- (a) standing the patient on a pair of spaced apart heel supports whilst supporting the front of the patient's feet,
(b) lifting one foot free of said heel support and applying a settable casting bandage
30 to said foot,
(c) replacing said one foot on said heel support,

WO 01/19246

PCT/AU00/01107

- (d) adjusting at least the heel supports to compensate for any malalignment of the patient's feet,
- (e) maintaining said foot in the compensated configuration until said casting bandage sets, and
- 5 (f) removing said one foot from said heel support and slipping said one foot from said set cast.

BRIEF DESCRIPTION OF THE DRAWINGS

- 10 One embodiment of the present invention will now be described with reference to the drawings in which:-

Fig. 1 is a rear perspective view showing a patient standing on the apparatus of the preferred embodiment,

Fig. 2 is a similar rear perspective view showing the detail of the apparatus of Fig. 1,

- 15 Fig. 3 is a rear elevational view showing the movement of the heel adjustment mechanism,

Fig. 4 is a side view of the apparatus showing the relationship between the heel support and the front foot rest,

Fig. 5 is a plan view of the apparatus showing the ability of the heel supports to move about a vertical axis,

- 20 Fig. 6 is a front elevation showing the movement of the stirrups,

Fig. 7 is an enlarged rear elevation showing the movement of the right heel support and its associated tilt lever arm,

Fig. 8 is a rear perspective view similar to Fig. 1 but illustrating the application of a casting bandage, and

- 25 Fig. 9 illustrates the final cast negative taken from the patient's foot.

DETAILED DESCRIPTION

- As seen in Fig. 1, the apparatus of the preferred embodiment has a generally rectangular frame 1 which supports a bench top 2 which, as will be explained hereafter, forms a front footrest. Extending upwardly from the bench top 2 is a mirror 3 which is located at the front of the
- 30

PCT/AU00/01107

•

1

In addition, the adjustors 9 can be used to raise or lower the entire channel 8 to adjust for the height of the heels of the shoes to be worn by the patient. The clamps 10 are then used to fix this adjustment.

•

•

WO 01/19246

PCT/AU00/01107

Each of the supports 19, 20 has a corresponding flat upper surface 24 which carries a pair of flat racks 25. A vertically extending slot 26 passes through the upper surface 24 and into the upper portion of the side wall of the supports 19, 20. Positioned above the upper surfaces 24 are two heel supports 28, 29 on the underside of each of which is carried a pair of curved racks 30 which engage with the pair of flat racks 25. The heel supports 28, 29 each have secured to their under-surface a corresponding tilt arm lever 31, 32 to which a turnbuckle 33, 34 is connected.

As best seen in Figs. 4 and 5, two front foot plates 35, 36 sit on the bench top 2 and extend across the gap between the bench top 2 and the flat surface 24. The thickness of each of the support plates 35, 36 corresponds to the height of the teeth on the flat rack 25.

Located on the front foot plates 35, 36 are corresponding front foot supports in the form of two stirrups 38, 39 each of which is generally tubular in construction and has a vertically extending lug 40 which is able to be conveniently manually grasped. Positioned on the heel supports 28, 29 and the front foot plates 35, 36 are two deformable liners 42, 43 which are shaped to support the patient's corresponding foot including all plantar surfaces (including the instep).

In use, the podiatrist first examines the stance of the patient and utilising the grub screws 15, 17 adjust the position of the bases 12, 13 in the U-channel in order that the spacing between the heel supports 28, 29 correspond to the patient's stance. In addition, as indicated in Fig. 5, by use of the grub screws 21, 22, the supports 19, 20 can be rotated about their vertical axis so as to move the front foot plates 35, 36 in the direction indicated by arrows D in Fig. 5 so as to set the appropriate toe-in or toe-out for the patient. The patient then mounts the apparatus as indicated in Fig. 1 and stands erect.

The podiatrist is then able to examine the bone formation of the client and, in particular, whether the orientation of the heel whilst standing is substantially vertical so as to properly transmit the forces generated by walking, running, etc. If, for example, the right heel is out of vertical (pronation or supination), then the podiatrist is able to adjust the turn buckle 34 as indicated in Fig. 7 so as to raise or lower the tilt arm lever 32. As indicated in Fig. 7 this simultaneously both rotates the heel support 29 about the heel-toe axis of the patient's foot, and also translates the heel support 28 transversely to that axis because of the inter-engagement of the teeth on the racks 25,

WO 01/19246

PCT/AU00/01107

30. In this way, the heel support 29 can be adjusted by the podiatrist to correct any malalignment of the patient's right heel. In the course of this adjustment, the right foot of the patient is normally twisted to a certain extent and this generally throws the front portion (forefoot) of the patient's foot out of the desired alignment. As indicated in Fig. 6, the stirrup 39 is now able to be
5 moved in the directions indicated by arrow E in Fig. 6. This has two effects, firstly to rotate the front portion of the patient's foot so as to correct any malalignment and secondly to move the stirrups 39 transverse to the heel-toe axis as necessary. This movement is performed manually by the podiatrist grasping the corresponding lug 40. Once the correct orientation for the forefoot is achieved the stirrup 39 is held in position by means of a block 45 as seen in Fig. 6. As also seen
10 in Fig. 6, each stirrup 39 has a curved bottom surface which is able to both pivot and slide over the bench top 2. The upper surface of the stirrup bottom is flat to receive the corresponding foot plate 35, 36.

15 Since the patient 6 is standing in front of the mirror 3 while the apparatus is used to correctly align the patient's feet, the patient can therefore immediately see that their feet - and hence their legs and the rest of their body - are correctly aligned. Usually the patient will feel an immediate sense of "standing straight" and is able to voice any comfort concerns to the podiatrist as they emerge.

20 Once this procedure is complete, the patient's stance, as regards the right foot, is effectively corrected. The identical procedure is then carried out, as necessary, for the left foot so that the patient's stance is fully corrected for both feet. Then, as indicated in Fig. 8, the right foot is moved rearwardly and lifted into the position illustrated in Fig. 8 at which stage the podiatrist applies a fabric bandage 48 which is impregnated with plaster-of-paris, or similar, and is then
25 dipped in water. This constitutes a casting material. With the wet casting bandage 48 adhering to the patient's right foot by atmospheric pressure, all air having been forced out between the foot and the bandage 48, the right foot is then returned to its previous position and the patient's weight re-exerted on the liner 43.

30 The identical procedure is then carried out on the left foot and the podiatrist checks the settings of the heel supports 28, 29 and stirrups 38, 39 to ensure that the adjustment of the patient's stance is

PCT/AU00/01107

Alternatively, if the podiatrist is sufficiently quick in the adjustments required, the bandage 48 can be applied initially and all adjustments made with the bandage 48 in-situ.

Thereafter, the patient raises the right leg into the position illustrated in Fig. 8 and the set cast 50 (Fig. 9) is able to be removed from his foot in the same way that one removes a slipper or slip-on shoe. Then the completed cast 50 for the left foot is similarly removed and the patient steps down from the apparatus.

The completed cast 50 forms a negative cast of the patient's foot in its fully compensated position whilst bearing the patient's weight. Thus the spreading of the tissue of the foot due to the application of the patient's weight is taken account of exactly in the casting procedure. The desired result of a cast of the patient's corrected and weight bearing foot has been achieved.

25 Thereafter, the cast 40 can be used as a mould to produce a mould of the patient's foot in the compensated and load bearing position. An orthotic innersole or insole is then able to be prepared from the cast of the patient's foot in conventional fashion.

Because the casts are fabricated while the feet are in the correct position, rather than being held in the air with the position "replicated", guesswork and human error are effectively removed from the process. Unskilled labour can subsequently be used in the laboratory where the orthoses are made, and the chances of the patient being satisfied with the end product are increased.

WO 01/19246

PCT/AU00/01107

Production time is also decreased and there is less likelihood a patient will have to return orthoses to be remade because the patient is dissatisfied with the devices.

5 The foregoing describes only one embodiment of the present invention and modifications, obvious to those skilled in the art, can be made thereto without departing from the scope of the present invention. For example, the liners 42, 43 are preferably provided in three sizes; large, medium and small to allow for feet of different sizes.

10 Furthermore, the liners 42, 43 can be replaced by pressure sensitive pads, known per se, from which the measurements of pressure at various points can be taken and an orthotic device created from such measurements in known fashion. US Patent No. 5,088,503 (Seitz) is indicative of the known art in this area.

15 In an alternative arrangement, the orthotic insole can be produced directly on the apparatus instead of using the plaster cast 50 as a intermediate medium. US Patent No. 4,747,989 (Peterson) is indicative of the known art in this area. Essentially a thermally softenable plastics material such as polypropylene is heated to soften it. If desired a thin, thermally insulative sheet can be located above the softened plastics (to protect the patient's foot from burning). The heated material is then placed on the corresponding liner 42, 43. Then the adjustments required for the
20 patient are carried out. Finally the plastics material is allowed to cool and naturally adopts the desired shape of the orthotic innersole.

The term "comprising" as used herein is used in the inclusive sense of "having" or "including" and not in the exclusive sense of "consisting only of".
25

WO 01/19246

PCT/AU00/01107

CLAIMS

1. Apparatus to correctly align a foot to permit an orthotic device to be fabricated, said apparatus comprising:-

5 a heel support and a front foot rest positioned substantially level therewith and in front of the heel support to define a heel-toe axis in front of the heel support

said heel support being mounted on a heel adjustment means arranged to simultaneously pivot said heel support about said heel-toe axis and move said heel support transverse to said heel-toe axis.

10 2. Apparatus as claimed in claim 1 and having a front foot support located on said front foot rest and able to be both rotated about said heel-toe axis and moved transversely to said axis.

15 3. Apparatus as claimed in claim 2 wherein said front foot support comprises a stirrup having an appreciable extent in the direction of said heel-toe axis.

4. Apparatus as claimed in claim 2 or 3 wherein a foot plate extends between said heel support and said front foot rest and is located within said front foot support.

20 5. Apparatus as claimed in any one of claims 2-4 wherein a deformable liner shaped to support the plantar surface of a patient's foot extends from said heel support through said front foot support.

25 6. Apparatus as claimed in any one of claims 1-5 wherein said heel adjustment means comprises a vertically extending support having a substantially flat top over which a substantially flat rack extends, a curved rack formed on the said heel support and engaged with said flat rack, and a tilt lever arm extending from said heel support and tiltable to change the point of inter-engagement of said flat and curved racks.

30 7. Apparatus as claimed in claim 6 wherein a turnbuckle interconnects said tilt lever arm and a base of said vertically extending support.

WO 01/19246

PCT/AU00/01107

8. Apparatus as claimed in claim 7 wherein said tilt lever arm extends from the underside of said heel support, has a substantial vertical extent, and is carried in a slot in said flat top, the inter-engagement of said tilt lever arm and slot substantially preventing movement of said heel support in the direction of said heel-toe axis.

5

9. Apparatus as claimed in any one of claims 6-8 wherein said vertically extending support is rotatable about its vertical axis and releasably clampable in relation thereto to permit toe-in or toe-out adjustment of said heel-toe axis.

10 10. Apparatus as claimed in any one of claims 6-9 and having a pair of said heel supports and translation means to adjust the relative distance between said heel supports in a direction substantially transverse to the heel-toe axes.

11. A method of casting a mould of a compensated foot whilst a patient's weight is carried by the foot, said method comprising the steps of:-

- a. standing the patient on a pair of spaced apart heel supports whilst supporting the front of the patient's feet,
- b. adjusting at least the heel supports to compensate for any malalignment of the patient's feet,
- 20 c. lifting one foot free of said heel support and applying a settable casting bandage to said foot,
- d. replacing said one foot on said heel support and, if necessary, repeating said compensation step (b),
- e. maintaining said foot in the compensated configuration until said casting bandage sets, and
- 25 f. removing said one foot from said heel support and slipping said one foot from said set cast.

12. A method of casting a mould of a compensated foot whilst a patient's weight is carried by the foot, said method comprising the steps of:-

- a. standing the patient on a pair of spaced apart heel supports whilst supporting the front of the patient's feet,

WO 01/19246

PCT/AU00/01107

- b. lifting one foot free of said heel support and applying a settable casting bandage to said foot,
- c. replacing said one foot on said heel support,
- d. adjusting at least the heel supports to compensate for any malalignment of the patient's feet,
- e. maintaining said foot in the compensated configuration until said casting bandage sets, and
- f. removing said one foot from said heel support and slipping said one foot from said set cast.

13. The method as claimed in claim 11 or 12 wherein said adjusting step includes the simultaneous pivoting of at least one said heel supports about a heel-toe axis of said foot and movement of said heel support transverse to said heel-toe axis.

14. The method as claimed in claim 13 wherein adjusting step includes the additional step of adjusting the patient's forefoot by rotation thereof about said heel-toe axis and simultaneous movement substantially transverse to said heel-toe axis..

15. The method as claimed in any one of claims 11-14 including the further step of:-

(g) placing a deformable liner on each of said heel supports prior to carrying out step (a).

16. The method as claimed in any one of claims 11-15 and carried out for both feet of said patient in turn to thereby create two said casts.

Dated this 13th day of September 2000.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
22 March 2001 (22.03.2001)

PCT

(10) International Publication Number
WO 01/19246 A1

(51) International Patent Classification⁷: **A61B 5/103**,
A61F 5/14

(21) International Application Number: PCT/AU00/01107

(22) International Filing Date:
13 September 2000 (13.09.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
PQ 2844 14 September 1999 (14.09.1999) AU

(71) Applicant and

(72) Inventor: SMITH, Neil, Robert [AU/AU]; 19 Charles
Street, Petersham, NSW 2049 (AU).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published:

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(74) Agent: HODGKINSON OLD MCINNES; Level 3, 20
Alfred Street, Milsons Point, NSW 2061 (AU).

(54) Title: APPARATUS AND METHOD FOR PRESCRIBING AND MANUFACTURING ORTHOTIC FOOT DEVICES



(57) Abstract: The present invention discloses an apparatus which enables in-situ casts of the feet of a patient to be made whilst the feet support the patient's weight. In particular, two heel supports (28, 29) and two stirrups (38, 39) receive the heels and forefeet of the patient. Each is capable of independent movement being both rotation about the heel-toe axis and movement substantially transverse to that axis. A method of forming a cast of the patient's feet is also disclosed.

WO 01/19246 A1

WO 01/19246

PCT/AU00/01107




FIG. 1

WO 01/19246

PCT/AU00/01107




FIG. 2

WO 01/19246

PCT/AU00/01107




FIG. 3






FIG. 4

WO 01/19246

PCT/AU00/01107

4/6



WO 01/19246

PCT/AU00/01107

5/6




FIG. 7

WO 01/19246

PCT/AU00/01107

6/6




FIG. 8




FIG. 9

Attorney's Docket No. 8705.04

COMBINED DECLARATION AND POWER OF ATTORNEY

As the below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

APPARATUS AND METHOD FOR PRESCRIBING AND MANUFACTURING ORTHOTIC FOOT DEVICES

the specification of which is attached hereto unless the following box is checked:

☒ was filed on September 13, 2000 as United States Application Serial Number or PCT International Application Number PCT/AU/01107 and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificates, or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

<u>PO 2844</u>	<u>Australia</u>	<u>September 14, 1999</u>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	
_____	_____	_____	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below.

_____ (Application Number)	_____ (Filing Date)
_____ (Application Number)	_____ (Filing Date)

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

(Application Number)	(Filing Date)	(Status -- patented, pending, abandoned)
(Application Number)	(Filing Date)	(Status -- patented, pending, abandoned)

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Richard C. Litman: 1 Registration No. 30,868
 Direct all telephone calls to: Richard C. Litman
 (703) 486-1000
 Address all correspondence to: Richard C. Litman
 LITMAN LAW OFFICES, LTD.
 P.O. Box 15035
 Arlington, VA 22215

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

1-00 Full Name of Sole or First Inventor: NEIL ROBERT SMITH

Signature: X Neil Smith

Date: X26-3-02 Country of Citizenship: Australia

Residence: 19 Charles Street, Petersham, NSW 2061
AUSTRALIA,

Post Office Address: Same

AUX